



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/893,396	06/28/2001	Henry M. D'Souza	H052617.1083US0	6001

1200 7590 07/30/2003

AKIN, GUMP, STRAUSS, HAUER & FELD
711 LOUISIANA STREET
SUITE 1900 SOUTH
HOUSTON, TX 77002

EXAMINER

YANG, RYAN R

ART UNIT	PAPER NUMBER
----------	--------------

2672

DATE MAILED: 07/30/2003

5

Please find below and/or attached an Office communication concerning this application or proceeding.

P

Office Action Summary

Application No.

09/893,396

Applicant(s)

D'SOUZA ET AL.

Examiner

Ryan R Yang

Art Unit

2672

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

1. Claims 1-19 are pending in this application. Claims 1, 8 and 15 are independent claims.
2. The present title of the invention is "Hardware-based accelerated color correction filtering system".

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 15 and 19 are rejected under 35 U.S.C. 102(e) as being anticipated by Ijntema et al. (6,285,350).

As per claim 15, Ijntema et al., hereinafter Ijntema, discloses a hardware-implemented method of color video data correction filtering, comprising the steps of:

gamma decompensating input color video data referenced to a non-linear color space ("To fully compensate the color errors, the RGB signals have to be linearized by compensating for the gamma correction applied in the camera", column 2, line 31-33);

compensating for color point data of a plurality of constituent colors of a color monitor by applying a plurality of pre-calculated gamut shifting arrays to the color point

Art Unit: 2672

data ("a transformation of the RGB signals with a 3x3 matrix can be done", column 2, line 34); and

compensating the color point data after application of the plurality of pre-calculated gamut shifting arrays for non-linearities of the color monitor by applying a plurality of non-linearization tables to the color point data to produce output color video data compensated for non-linearities and color points of the color monitor ("Finally, the gamma correction has to be applied again", column 2, line 36; "The characteristics could be stored in a LUT", column 2, line 59).

5. As per claim 19, Ijntema demonstrated all the elements as applied to the rejection of independent claim 15, supra, and further discloses each of the steps of gamma decompensating, compensating using the plurality of pre-calculated gamut shifting arrays and compensating using the plurality of non-linearization tables is performed at a substantially full video rate (since the LUT table is used instead of multiplication operations, the gamut shifting arrays is performed at the full processing speed of the graphics controller).

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2672

7. Claims 1-2, 4-5, 7-9, 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ijntema et al. (6,285,350) and further in view of Oku et al. (5,489,996).

As per claim 1, Ijntema et al., hereinafter Ijntema, discloses a hardware-implemented color video data correction filtering system, comprising:

a plurality of linearization tables to gamma decompensate input color video data referenced to a non-linear color space ("To fully compensate the color errors, the RGB signals have to be linearized by compensating for the gamma correction applied in the camera", column 2, line 31-34; "The characteristics could be stored in a LUT", column 2, line 59);

a plurality of a set of pre-calculated gamut shifting arrays to compensate for color point data of a plurality of constituent colors of a color monitor with each set of pre-calculated gamut shifting arrays coupled to one linearization table of the plurality of linearization tables ("a transformation of the RGB signals with a 3x3 matrix can be done", column 2, line 34);

and a plurality of non-linearization tables coupled to the plurality of hardware adders to compensate for non-linearities of the color monitor and produce output color video data compensated for non-linearities and color points of the color monitor ("Finally, the gamma correction has to be applied again", column 2, line 36; "The characteristics could be stored in a LUT", column 2, line 59).

Ijntema discloses a color correction system. Ijntema further discloses a matrix for compensating color. It is noted that Ijntema does not explicitly disclose a plurality of

Art Unit: 2672

shifting array and hardware adders coupled to one of the pre-calculated shifting arrays, however, this is known in the art as taught by Oku et al., hereinafter Oku. Oku discloses a color correcting system in which the color adjusting matrix is built with a plurality of look-up tables and adders ("The hardware of the first color correction unit may be constructed as shown in FIG. 9. As shown, the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72 and three adders 3, 74 and 75", column 9, line 25-30).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku discloses the matrix used for color compensation can be constructed with a plurality of look-up table and adders in order to accelerate the processing speed.

8. As per claim 2, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 1, supra, and Ijntema further discloses the plurality of linearization tables comprises three linearization tables (since Ijntema discloses in Figure 1 amplifiers for each of red, green and blue colors, A_R , A_G and A_B , and "The characteristics could be stored in a LUT", column 2, line 59), the set of pre-calculated gamut shifting arrays comprises three pre-calculated gamut shifting arrays ("a transformation of the RGB signals with a 3x3 matrix can be done", column 2, line 34), the plurality of non-linearization tables comprises three non-linearization tables, and the plurality of constituent colors comprises three constituent colors (since Ijntema discloses the amplifiers is used for each of red, green and blue colors; it is inherent that they are

the three constituent colors and since the linearization table is generated for each of the three colors, it is inherent that non-linearization table is generated for each of the three colors).

Oku further discloses "the plurality of a set of pre-calculated gamut shifting arrays comprises nine pre-calculated gamut shifting arrays" (Figure 7A and Figure 9; 'the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72", column 9, line 25-30).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku discloses the matrix used for color compensation can be constructed with a plurality of look-up table and adders in order to accelerate the processing speed.

9. As per claim 4, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 1, supra, and Oku further disclose the plurality of a set of pre-calculated gamut shifting arrays is stored in a plurality of look-up tables (Figure 7A and Figure 9; 'the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72", column 9, line 25-30).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku

discloses the matrix used for color compensation can be constructed with a plurality of look-up table in order to accelerate the processing speed.

10. As per claim 5, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 1, supra.

Ijntema discloses a system of correcting color with a graphics controller (Figure 1 C). The controller can use look-up table for processing ("The characteristics could be stored in a LUT", column 2, line 59). It is noted that Ijntema does not explicitly disclose a graphics controller coupled to the plurality of pre-calculated gamut shifting arrays, however, this is known in the art as taught by Oku. Oku discloses a color correcting system in which the color adjusting matrix is built with a plurality of look-up tables ("The hardware of the first color correction unit may be constructed as shown in FIG. 9. As shown, the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72", column 9, line 25-30), wherein compensation for color point data through utilization of the plurality of pre-calculated gamut shifting arrays is performed at the full processing speed of the graphics controller (since the LUT table is used instead of multiplication operations, the gamut shifting arrays is performed at the full processing speed of the graphics controller).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku

Art Unit: 2672

discloses the matrix used for color compensation can be constructed with a plurality of look-up table and adders in order to accelerate the processing speed.

11. As per claim 7, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 1, supra, and Ijntema further discloses the non-linearities of the color monitor comprise an input-output characteristic for each constituent color of the color monitor ("The characteristics could be stored in a LUT", column 2, line 59, where the characteristics is the characteristics of the monitor).

12. As per claim 8, Ijntema discloses a computer system, comprising:

a processor (Figure 1 C);

video memory coupled to the processor (since LUT could be used in digital implementation (column 2, line 55-60), it is inherent that memory is used to store LUT);
and

a color video data correction filtering system coupled to the processor, the system comprising:

a plurality of linearization tables to gamma decompensate input color video data referenced to a non-linear color space ("To fully compensate the color errors, the RGB signals have to be linearized by compensating for the gamma correction applied in the camera", column 2, line 31-34; "The characteristics could be stored in a LUT", column 2, line 59);

a plurality of a set of pre-calculated gamut shifting arrays to compensate for color point data of a plurality of constituent colors of a color monitor with each set of pre-calculated gamut shifting arrays coupled to one linearization table of the plurality of

linearization tables ("a transformation of the RGB signals with a 3x3 matrix can be done", column 2, line 34);

a plurality of non-linearization tables coupled to the plurality of hardware adders to compensate for non-linearities of the color monitor and produce output color video data compensated for non-linearities and color point of the color monitor ("Finally, the gamma correction has to be applied again", column 2, line 36; "The characteristics could be stored in a LUT", column 2, line 59).

Ijntema discloses a color correction system. Ijntema further discloses a matrix for compensating color. It is noted that Ijntema does not explicitly disclose a plurality of shifting array and hardware adders coupled to one of the pre-calculated shifting arrays, however, this is known in the art as taught by Oku et al., hereinafter Oku. Oku discloses a color correcting system in which the color adjusting matrix is built with a plurality of look-up tables and adders ("The hardware of the first color correction unit may be constructed as shown in FIG. 9. As shown, the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72 and three adders 3, 74 and 75", column 9, line 25-30).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku discloses the matrix used for color compensation can be constructed with a plurality of look-up table and adders in order to accelerate the processing speed.

Art Unit: 2672

13. As per claim 9, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 8, supra, and Ijntema further discloses the plurality of linearization tables comprises three linearization tables (since Ijntema discloses in Figure 1 amplifiers for each of red, green and blue colors, A_R , A_G and A_B , and "The characteristics could be stored in a LUT", column 2, line 59), the set of pre-calculated gamut shifting arrays comprises three pre-calculated gamut shifting arrays ("a transformation of the RGB signals with a 3x3 matrix can be done", column 2, line 34), the plurality of non-linearization tables comprises three non-linearization tables, and the plurality of constituent colors comprises three constituent colors (since Ijntema discloses the amplifiers is used for each of red, green and blue colors, it is inherent that they are the three constituent colors and since the linearization table is generated for each of the three colors, it is inherent that non-linearization table is generated for each of the three colors).

Oku further discloses "the plurality of a set of pre-calculated gamut shifting arrays comprises nine pre-calculated gamut shifting arrays" (Figure 7A and Figure 9; "the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72", column 9, line 25-30).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku

Art Unit: 2672

discloses the matrix used for color compensation can be constructed with a plurality of look-up table and adders in order to accelerate the processing speed.

14. As per claim 12, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 8, supra, and Oku further disclose the plurality of a set of pre-calculated gamut shifting arrays is stored in a plurality of look-up tables (Figure 7A and Figure 9; 'the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72", column 9, line 25-30).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku discloses the matrix used for color compensation can be constructed with a plurality of look-up table in order to accelerate the processing speed.

15. As per claim 13, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 8, supra, and Ijntema further discloses the non-linearities of the color monitor comprise an input-output characteristic for each constituent color of the color monitor ("The characteristics could be stored in a LUT", column 2, line 59, where the characteristics is the characteristics of the monitor).

16. As per claim 14, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 8, supra.

Ijntema disclose a system of correcting color with a graphics controller (Figure 1 C). The controller can use look-up table for processing ("The characteristics could be

stored in a LUT", column 2, line 59). It is noted that Ijntema does not explicitly disclose a graphics controller coupled to the plurality of pre-calculated gamut shifting arrays, however, this is known in the art as taught by Oku. Oku discloses a color correcting system in which the color adjusting matrix is built with a plurality of look-up tables ("The hardware of the first color correction unit may be constructed as shown in FIG. 9. As shown, the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72", column 9, line 25-30), wherein compensation for color point data through utilization of the plurality of pre-calculated gamut shifting arrays is performed at the full processing speed of the graphics controller (since the LUT table is used instead of multiplication operations, the gamut shifting arrays is performed at the full processing speed of the graphics controller).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a system for color correction with matrix for color compensation and Oku discloses the matrix used for color compensation can be constructed with a plurality of look-up table and adders in order to accelerate the processing speed.

17. Claims 3 and 11 rejected under 35 U.S.C. 103(a) as being unpatentable over Ijntema et al. (6,285,350) and Oku et al. (5,489,996) as applied to claims 1 and 8 above, respectively, and further in view of Wilt et al. (US 2002/0085015).

18. As per claim 3, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 1, supra.

Ijntema and Oku disclose a system of color correction for a CRT. It is noted that Ijntema and Oku do not explicitly disclose the CRT (which is a non-linear display device) has sRGB color space, however, this is known in the art as taught by Wilt et al., hereinafter Wilt. Wilt discloses a color conversion method using non-linear sRGB color space ([0005]).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Wilt into Ijntema and Oku because Ijntema and Oku disclose a system of correcting color relating to a CRT (which has non-linear color space) and Wilt discloses a color correcting system using non-linear sRGB space in order to extend the correction method to displays, scanners and digital cameras ([0005]).

19. As per claim 11, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 8, *supra*.

Ijntema and Oku disclose a system of color correction for a CRT. It is noted that Ijntema and Oku do not explicitly disclose the CRT (which is a non-linear display device) has sRGB color space, however, this is known in the art as taught by Wilt et al., hereinafter Wilt. Wilt discloses a color conversion method using non-linear sRGB color space ([0005]).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Wilt into Ijntema and Oku because Ijntema and Oku disclose a system of correcting color relating to a CRT (which has non-linear color space) and Wilt discloses a color correcting system using non-linear sRGB

space in order to extend the correction method to displays, scanners and digital cameras ([0005]).

20. Claims 6 and 10 rejected under 35 U.S.C. 103(a) as being unpatentable over Ijntema et al. (6,285,350) and Oku et al. (5,489,996) as applied to claims 1 and 8 above, respectively, and further in view of Shelton (US 2002/0161803).

As per claim 6, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 1, supra.

Ijntema discloses a system of color correction which could be applied to TV sets and computer monitors (column 3, line 18-19). It is noted that Ijntema does not explicitly disclose the input color video data is input from a website, however, this is known in the art as taught by Shelton. Shelton discloses a color correction method in which color data can be transmitted from a website (Figure 2 18).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Shelton into Ijntema and Oku because Ijntema and Oku disclose a system of color correction a pluralities of monitor and Shelton discloses the color data could be transmitted from a website in order to correct a plurality of remotely located monitor.

21. As per claim 10, Ijntema and Oku demonstrated all the elements as applied to the rejection of independent claim 8, supra.

Ijntema and Oku disclose a system of color correction which could be applied to TV sets and computer monitors (Ijntema column 3, line 18-19, where the monitor represents a non-linear color space). It is noted that Ijntema does not explicitly disclose

the input color video data is input from a website, however, this is known in the art as taught by Shelton. Shelton discloses a color correction method in which color data can be transmitted from a website (Figure 2 18).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Shelton into Ijntema and Oku because Ijntema and Oku disclose a system of color correction a pluralities of monitor and Shelton discloses the color data could be transmitted from a website in order to correct a plurality of remotely located monitor.

22. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ijntema et al. (6,285,350) as applied to claim 15 above, and further in view of Shelton (US 2002/0161803).

As per claim 16, Ijntema demonstrated all the elements as applied to the rejection of independent claim 1, supra.

Ijntema discloses a method of color correction which could be applied to TV sets and computer monitors (column 3, line 18-19). It is noted that Ijntema does not explicitly disclose the input color video data is input from a website, however, this is known in the art as taught by Shelton. Shelton discloses a color correction method in which color data can be transmitted from a website (Figure 2 18).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Shelton into Ijntema because Ijntema discloses a method of color correction a pluralities of monitor and Shelton discloses the

color data could be transmitted from a website in order to correct a plurality of remotely located monitor.

23. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ijntema et al. (6,285,350) as applied to claim 15 above, and further in view of Wilt et al. (US 2002/0085015).

As per claim 17, Ijntema demonstrated all the elements as applied to the rejection of independent claim 15, supra.

Ijntema discloses a method of color correction for a CRT. It is noted that Ijntema does not explicitly disclose the CRT (which is a non-linear display device) has sRGB color space, however, this is known in the art as taught by Wilt et al., hereinafter Wilt. Wilt discloses a color conversion method using non-linear sRGB color space ([0005]).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Wilt into Ijntema because Ijntema disclose a method of correcting color relating to a CRT (which has non-linear color space) and Wilt discloses a color correcting method using non-linear sRGB space in order to extend the correction method to displays, scanners and digital cameras ([0005]).

24. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ijntema et al. (6,285,350) as applied to claim 15 above, and further in view of Oku et al. (5,489,996).

As per claim 18, Ijntema demonstrated all the elements as applied to the rejection of independent claim 15, supra.

Ijntema discloses a method of correcting color. It is noted that Ijntema does not explicitly disclose the plurality of pre-calculated gamut shifting arrays is stored in a plurality of look-up tables, however, this is known in the art as taught by Oku. Oku disclose a method of correcting color by using a plurality of table instead of matrix (Figure 7A and Figure 9; 'the three look-up tables 61, 62 and 63 of the input normalizing unit and the linear matrix calculator 57 are constructed with a total of nine look-up tables 64 60 72", column 9, line 25-30).

Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teaching of Oku into Ijntema because Ijntema discloses a method for color correction with matrix for color compensation and Oku discloses the matrix used for color compensation can be constructed with a plurality of look-up table in order to accelerate the processing speed.

Conclusion

25. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Inquiries

26. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Ryan Yang** whose telephone number is **(703) 308-6133**.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Michael Razavi**, can be reached at **(703) 305-4713**.

Any response to this action should be mailed to:


Commissioner of Patents and Trademarks
Washington, D.C. 20231

or faxed to:

(703) 872-9314 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.


Ryan Yang
July 17, 2003